

IGUANA ARCO & VISIO

WARMTH WITH A SYMBOLIC VALUE

Inspired by a child's drawing, an interpretation of the brightly shining sun, transformed into a fully functional work of art.

With the Iguana Arco and Visio the slim triangular radiant pipes are built with a slight curve, giving the Iguana a new look from any angle.

The Iguana Visio's many functions have been expanded by the addition of a mirror. Perfect for halls or bedrooms.

Also available as "Plus" version for low flow temperatures.



jaga

PRESENTING IGUANA ARCO & VISIO




design award
winner



DREAM
A FUTURE

IGUANA ARCO

DIMENSIONS (in mm)



ARCO ARCO PLUS

L	C	D1	D2	E1	E2
298	100	101	141	41	81
410	200	111	161	51	101
519	300	127	177	67	117
625	400	122	172	62	112
733	500	137	187	77	127
839	600	157	207	97	147

Iguana+
COLLECTION
40% more warmth

DELIVERY

Product is made to order, please contact our customer service team on 01531 631 533 to discuss your requirements.

COLOURS

Environmentally friendly, scratch-resistant, high UV resistant powder coating.


Standard colours:

- traffic white RAL 9016 (333), smooth satin matt
 - sandblast grey (001), fine texture metallic
- Other colours: see colour chart.

CONNECTION

Top connection: specify code 45 or 54 instead of MM (first number is flow).

No insert pipe should be ordered. Provide an air vent on the central heating pipework.




VALVES

See page 182.

OPTIONS

Towel rail / hat rack in chrome-plated aluminium



CODE	L	L radiator
Towel rail		
9087.023550	550	410-510
9087.023656	660	620-730-830



IGUANA WITH TOWEL RAIL:
combines functionality with a high heat efficiency.

CODE	L	L radiator
Hat rack		
9087.024550	550	410-510
9087.024656	660	620-730-830



HEIGHT 1800-2400 - OUTPUT TABLES

ARCW.HHH.LLL.XXX/MM		
HEIGHT 1800 ARCO		
L	Watts	Watts
mm	75/65	55/45
290	791	397
410	1079	542
510	1366	686
620	1654	831
730	1941	975
830	2229	1120

HEIGHT 1920 ARCO		
L	Watts	Watts
mm	75/65	55/45
290	813	409
410	1109	558
510	404	707
620	1700	856
730	1995	1004
830	2291	1153

HEIGHT 2000 ARCO		
L	Watts	Watts
mm	75/65	55/45
290	826	416
410	1127	568
510	1427	719
620	1727	871
730	2028	1022
830	2328	1174

HEIGHT 2200 ARCO		
L	Watts	Watts
mm	75/65	55/45
290	858	434
410	1170	592
510	1482	750
620	1794	908
730	2106	1065
830	2418	1223

HEIGHT 2400 ARCO		
L	Watts	Watts
mm	75/65	55/45
290	886	450
410	1208	613
510	1530	776
620	1852	940
730	2174	1103
830	2496	1267

ARPW.HHH.LLL.XXX/MM		
HEIGHT 1800 ARCO PLUS		
L	Watts	Watts
mm	75/65	55/45
290	999	496
410	1362	676
510	1725	856
620	2088	1036
730	2452	1217
830	2815	1397

HEIGHT 1920 ARCO PLUS		
L	Watts	Watts
mm	75/65	55/45
290	1046	521
410	1427	710
510	1807	899
620	2187	1088
730	2568	1278
830	2948	1467

HEIGHT 2000 ARCO PLUS		
L	Watts	Watts
mm	75/65	55/45
290	1076	537
410	1467	732
510	1858	927
620	2249	1122
730	2641	1317
830	3032	1512

HEIGHT 2200 ARCO PLUS		
L	Watts	Watts
mm	75/65	55/45
290	1146	574
410	1563	783
510	1980	992
620	2397	1201
730	2813	1409
830	3230	1618


HEIGHT 2400 ARCO PLUS		
L	Watts	Watts
mm	75/65	55/45
290	1210	609
410	1650	830
510	2090	1052
620	2530	1273
730	2970	1495
830	3410	1716

EN442 output at 20°C room temperature



IGUANA VISIO

DIMENSIONS (in mm)



VISIO | VISIO PLUS

L	C	D1	D2	E1	E2
519	300	105	155	65	115
625	400	110	160	60	110
733	500	125	175	75	125

Iguana+
COLLECTION
40% more warmth

HEIGHT 1800-2200 - OUTPUT TABLES

VISW.HHH.LLL.XXX/MM		
HEIGHT 1800 VISIO		
L	Watts	Watts
mm	75/65	55/45
510	719	361
620	1007	506
730	1294	650
HEIGHT 2000 VISIO		
L	Watts	Watts
mm	75/65	55/45
510	751	379
620	1051	530
730	1352	682
HEIGHT 2200 VISIO		
L	Watts	Watts
mm	75/65	55/45
510	780	395
620	1092	552
730	1404	710

VIPW.HHH.LLL.XXX/MM		
HEIGHT 1800 VISIO PLUS		
L	Watts	Watts
mm	75/65	55/45
510	908	451
620	1271	631
730	1634	811
HEIGHT 2000 VISIO PLUS		
L	Watts	Watts
mm	75/65	55/45
510	978	488
620	1369	683
730	1760	878
HEIGHT 2200 VISIO PLUS		
L	Watts	Watts
mm	75/65	55/45
510	1042	522
620	1459	731
730	1876	940

EN442 output at 20°C room temperature

DELIVERY

Product is made to order, please contact our customer service team on 01531 631 533 to discuss your requirements.

COLOURS

Environmentally friendly, scratch-resistant, high UV resistant powder coating.


Standard colours:

- traffic white RAL 9016 (333), smooth satin matt
 - sandblast grey (001), fine texture metallic
- Other colours: see colour chart.

CONNECTION

Top connection: specify code 45 or 54 instead of MM (first number is flow).

No insert pipe should be ordered. Provide an air vent on the central heating pipework.



OPTIONS

Towel rail / hat rack in chrome-plated aluminium



CODE	L	L radiator
Towel rail		
9087.023550	550	510
9087.023656	660	620-730



IGUANA WITH TOWEL RAIL:

combines functionality with a high heat efficiency.

CODE	L	L radiator
Hat rack		
9087.024550	550	410-510
9087.024656	660	620-730-830

