

HEATING

COOLING

VENTILATION



Electric Radiators

versatile
Heating · Cooling · Ventilation

Beechmount Home Park, Navan, Co. Meath

📞 +353 46 902 9444 ✉ sales@versatile.ie

www.versatile.ie

Words of Wisdom

They may be cost effective and efficient, but electric radiators need not be boring. With elegant curves, vibrant colours and a variety of styles – chic and substance can be applied to any room in any home.

Electric Room Radiators

Alura	122
Multicolumn electric	122
Multicolumn plinth electric	122
Fare Tech	124
Runtal Rad Electric	126

Compact and efficient radiators for the home, with more than a touch of style.
Control, customise and maximise the comfort of living spaces and bathrooms.



Fare Tech: page 124

The Zehnder Fare Tech combines beauty and brains with its unique, elegantly curved shape whilst providing comfortable radiant heat creating the best indoor climate.

Zehnder Alura



In stock items highlighted in black	Height mm	Width mm	Finish	No. of sections	With factory fitted controls, Class II IPX4 Electric Rating (Watts)	Weight kg
 Zehnder Alura Electric						
ALE-050-036/F	575	372	white	3	500	7
ALE-075-046/F	575	472	white	4	750	9
ALE-100-056/F	575	572	white	5	1000	11
ALE-125-076/F	575	772	white	7	1250	15
ALE-150-086/F	575	872	white	8	1500	17
ALE-200-116/F	575	1172	white	11	2000	23

white (RAL 9010)
Temperature controller: Backlit LCD digital display screen gives complete control. Temperature can be adjusted in 0.5°C increments. 3 pre-set programmes and 5 mode settings. Open window detection system and parental lock.

Open Window detection

The Integral control unit recognises if a window has been opened for an extended period and switches the radiator off. Once the window is closed, the radiator returns to normal operation.

- Temperature changes are quickly recognised via the external temperature sensor
- The integral thermostat proactively reacts to sensor information; delivering the perfect indoor climate
- Intuitive radiator which automatically switches off if a window is open for an extended period
- An intelligent heating solution which lowers costs and energy consumption



H = height
W = width
All dimensions in mm



Stocked Items

The **Alura**, is a fast response electric aluminum radiator with a high heat output despite its compact size. It's lightweight and easy to install, and the straightforward digital controls make it easy and economical to use. H shaped mounting brackets with a removable spirit level and locking system are also included.







ALE-100-056/F PURE WHITE 9010

Zehnder Multicolumn & Multicolumn Plinth

In stock items highlighted in black	Height mm	Width mm	No. of sections	Finish	Watts Radio frequency remote programmer IPX4 Zone 1 Bath, Zone 2 Shower, Class II	Weight kg
 Zehnder Charleston Electric						
NZ-060-053/GF	600	530	10	white*	500	27.0
NZ-060-062/GF	600	622	12	white*	750	30.0
NZ-060-076/GF	600	760	15	white*	1000	41.0
NZ-060-089/GF	600	898	18	white*	1250	47.0
NZ-060-103/GF	600	1036	21	white*	1500	58.0
NZ-060-131/GF	600	1312	27	white*	2000	70.0
 Zehnder Charleston Plinth Electric						
NZ-030-100/GF	300	962	20	white	1000	42.4

 **Colour finish:** Standard colours from the Zehnder colour chart including matt white finish are priced at: RAL 9016 + 25%.
Colour finish and non-stock products.
*White (RAL 9016)

Accessories	
Model	
601020	Lambswool cleaning brush
966018	Charleston towel bar 368mm
966028	Charleston towel bar 918mm



H = height
W = width
Width includes controller
All dimensions in mm




The **Charleston** is an electric, oil-filled multi-column radiator available in six sizes that would suit a variety of rooms, especially loft conversions.

The complementary **Charleston Plinth** low level model is perfectly suited to conservatories for use in front of low-level windows.



NZ-060-089/GF TRAFFIC WHITE 9016

Zehnder
Fare Tech




In stock items highlighted in black	Height mm	Width mm	Finish	No. of sections	With factory fitted controls, Class II IPX4 Electric Rating (Watts)	Weight kg
Zehnder Fare Tech Electric						
TAD-057-041/CF	575	429	white	4	500	9
TAD-057-049/CF	575	509	white	5	750	11
TAD-057-065/CF	575	669	white	7	1000	14
TAD-057-081/CF	575	829	white	9	1250	17
TAD-057-089/CF	575	909	white	10	1500	18
TAD-057-129/CF	575	1309	white	15	2000	26
Projection from wall to front of radiator: 148mm max.						
White (RAL 9010)						

Colour finish: Standard colours from the Zehnder colour chart including matt white finish which are priced at: white RAL 9010 + 25%. Colour finish and non-stock products delivery: 3–5 weeks.

Open Window detection

The Integral control unit recognises if a window has been opened for an extended period and switches the radiator off. Once the window is closed, the radiator returns to normal operation.

- Temperature changes are quickly recognised via the external temperature sensor.
- The integral thermostat proactively reacts to sensor information; delivering the perfect indoor climate.
- Intuitive radiator which automatically switches off if a window is open for an extended period .
- An intelligent heating solution which lowers costs and energy consumption.



H = height
W = width
All dimensions in mm

The **Fare Tech** electric radiator combines beauty and brains. Manufactured from aluminium, its unique, elegantly curved shape allows comfortable radiant heat to disperse optimally throughout the room, whilst its smart integrated control panel allows the room temperature to be easily set and energy consumption controlled.




Temperature Controller. For more information see page 143.



TAD-057-089/CF VOLCANIC 0336


Zehnder
Runtal Rad



In stock items highlighted in black	Height mm	Width mm	Finish	Watts Radio frequency remote programmer Zone 1 Bath, Zone 2 Shower, Class II	Weight kg
⚡ Zehnder Roda Electric Vertical					
ROEV150-040/GF	1517	370	white	750	24
ROEV180-045/GF	1817	444	white	1000	32
ROEV180-060/GF	1817	592	white	1500	40
⚡ Zehnder Roda Electric Horizontal					
ROEHD040-080/GF	444	800	white	750	21.5
ROEHD060-080/GF	592	800	white	1000	28.7
ROEHD040-110/GF	444	1100	white	1000	28.3
ROEHD060-110/GF	592	1100	white	1250	38.5
ROEHD040-150/GF	444	1500	white	1500	37.7
ROEHD060-130/GF	592	1300	white	1500	44.8
ROEHD060-150/GF	592	1500	white	2000	50.4

Accessories: Please refer to accessories section page 134.

Colour finish: Standard colours from the Zehnder colour chart including matt white finish are priced at: RAL 9016 + 25%.
Colour finish and non-stock products delivery: 3–5 weeks.



Open Window detection

The Integral control unit recognises if a window has been opened for an extended period and switches the radiator off. Once the window is closed, the radiator returns to normal operation.

- Temperature changes are quickly recognised via the external temperature sensor.
- The integral thermostat proactively reacts to sensor information; delivering the perfect indoor climate.
- Intuitive radiator which automatically switches off if a window is open for an extended period .
- An intelligent heating solution which lowers costs and energy consumption.

H = height
W = width
All dimensions in mm

The Electric **Roda** range of efficient decorative radiators, is available in horizontal or vertical versions, perfect for all living areas.



ROEHD040-110/GF VOLCANIC 0336



ROEV150-040/GF PERGAMON 0081

versatile
Heating · Cooling · Ventilation

Beechmount Home Park, Navan, Co. Meath
☎ +353 46 902 9444 ✉ sales@versatile.ie
www.versatile.ie